

**Mt. Edgecumbe High School Classroom and Fieldhouse
Repair and Renovation**

**FY2002 Request: \$150,000
Reference No: 6254**

AP/AL: Appropriation

Project Type: Deferred Maintenance

Category: Education

Location: Sitka

Contact: Karen J. Rehfeld

House District: Sitka, Wrangell, Petersburg (HD

Contact Phone: (907)465-8650

2)

Estimated Project Dates: 07/01/2001 - 06/30/2006

Brief Summary and Statement of Need:

This project addresses life safety code compliance, ADA compliance, and major maintenance and renovation for the classroom and field house building at Mt. Edgecumbe High School. Replacing and certifying fire alarm systems and reconstructing the wood platforms in the field house for fire suppression and fire code compliance are critical safety concerns. Americans with Disabilities Act (ADA) compliance including installation of ramps, an elevator to the second floor classroom space, and modifications to restrooms are essential improvements required under the ADA.

Funding:	<u>FY2002</u>	<u>FY2003</u>	<u>FY2004</u>	<u>FY2005</u>	<u>FY2006</u>	<u>FY2007</u>	<u>Total</u>
Gen Fund	\$150,000						\$150,000
Total:	\$150,000	\$0	\$0	\$0	\$0	\$0	\$150,000

<input type="checkbox"/> State Match Required	<input checked="" type="checkbox"/> One-Time Project	<input type="checkbox"/> Phased - new	<input type="checkbox"/> Phased - underway	<input type="checkbox"/> On-Going
0% = Minimum State Match % Required		<input type="checkbox"/> Amendment	<input type="checkbox"/> Mental Health Bill	

Operating & Maintenance Costs:

	<u>Amount</u>	<u>Staff</u>
Project Development:	0	0
Ongoing Operating:	0	0
One-Time Startup:	0	0
Totals:	0	0

Additional Information / Prior Funding History:

No prior year funding has been provided for this request. Mt. Edgecumbe received \$214,900 in FY96, \$200,000 in FY98 and \$150,000 in FY2001 for dormitory repairs, renovation and equipment.

Project Description/Justification:

Classroom & Fieldhouse Renovation \$150,000

Interior \$139,329

1. Elevator installation to access classrooms on second floor
2. Install ramps to athletic floor & modify to toilet rooms
3. Reconstruct wood raised platform for spectator seating with 1 hour rated fire suppression construction

Electrical \$10,671

1. Re-certify fire alarm system. Spacing should be verified & additional heat detectors or beam smoke detectors should be added to provide proper coverage.
2. Replace all exit signs in the building with 20-year life atomic exit signs and replace all emergency light fixtures