

Sitka: Rocky Gutierrez Airport Drainage Improvements**FY2009 Request:****\$400,000****Reference No:****AMD 45677****AP/AL:** Allocation**Project Type:** Construction**Category:** Transportation**Location:** Sitka**Contact:** Christine Klein**House District:** Sitka/Wrangell/Petersburg (HD**Contact Phone:** (907)269-0724

2)

Estimated Project Dates: 07/01/2008 - 06/30/2013**Appropriation:** Airport Improvement Program**Brief Summary and Statement of Need:**

This is a new FY2009 Capital Budget Request. This project will improve apron drainage on the primary apron at Sitka Rocky Gutierrez Airport. This project contributes to the Department's Mission by reducing injuries, fatalities and property damage and by improving the mobility of people and goods.

Funding:	FY2009	FY2010	FY2011	FY2012	FY2013	FY2014	Total
Fed Rcpts	\$400,000						\$400,000
Total:	\$400,000	\$0	\$0	\$0	\$0	\$0	\$400,000

<input type="checkbox"/> State Match Required	<input checked="" type="checkbox"/> One-Time Project	<input type="checkbox"/> Phased - new	<input type="checkbox"/> Phased - underway	<input type="checkbox"/> On-Going
0% = Minimum State Match % Required		<input checked="" type="checkbox"/> Amendment	<input type="checkbox"/> Mental Health Bill	

Operating & Maintenance Costs:

	<u>Amount</u>	<u>Staff</u>
Project Development:	0	0
Ongoing Operating:	0	0
<u>One-Time Startup:</u>	<u>0</u>	<u>0</u>
Totals:	0	0

Additional Information / Prior Funding History:

None.

Project Description/Justification:

A slotted drain will be constructed along the length of the apron to drain areas that are subject to ponding. The poor drainage results in maintenance and operational problems, the worst being ice patches that develop and present a hazard to taxing aircraft.