

Nulato - Airport Improvements

FY2010 Request: \$827,500
Reference No: 48350

AP/AL: Allocation
Category: Transportation
Location: Nulato
House District: Interior Villages (HD 6)
Estimated Project Dates: 04/19/2010 - 06/30/2014
Appropriation: Airport Improvement Program

Project Type: Construction
Contact: Christine Klein
Contact Phone: (907)269-0724

Brief Summary and Statement of Need:

Resurface the airport operational surfaces, rehabilitate the access road, apply dust palliative, replace lighting, construct a snow removal equipment building and other improvements as funds allow. This project contributes to the Department's Mission by reducing injuries, fatalities and property damage and by improving the mobility of people and goods.

Funding:	FY2010	FY2011	FY2012	FY2013	FY2014	FY2015	Total
Fed Rcpts	\$827,500						\$827,500
Total:	\$827,500	\$0	\$0	\$0	\$0	\$0	\$827,500

<input type="checkbox"/> State Match Required	<input checked="" type="checkbox"/> One-Time Project	<input type="checkbox"/> Phased - new	<input type="checkbox"/> Phased - underway	<input type="checkbox"/> On-Going
0% = Minimum State Match % Required		<input type="checkbox"/> Amendment	<input type="checkbox"/> Mental Health Bill	

Operating & Maintenance Costs:

	<u>Amount</u>	<u>Staff</u>
Project Development:	0	0
Ongoing Operating:	0	0
One-Time Startup:	0	
Totals:	0	0

Additional Information / Prior Funding History:

FY2009 Supplemental - \$9,200,000.

Project Description/Justification:

The surface course on the airport operational surfaces is nearly gone and there is no crown. The runway is periodically closed during wet weather. The lighting system is nearing the end of its useful life and needs to be replaced. Geotextile matting is exposed at numerous locations along the runway causing safety issues. The access road is experiencing the same softness and closure issues. A dust palliative is needed to reduce the loss of surfacing materials and improve air quality. The snow removal equipment building is too small and in disrepair and has outlived its useful life.

This project is expected to be advertised in early March.